



DRILLING
CATALOG
2025

Table of Contents

Baroid Products	32
Bits	13, 14, 15, 16
Bit Shank I.D. Chart	13
Brushes	25, 34
Cam Rollers, IR Top head	25
Carbide	31
Casing Advancement Systems	40, 41, 42, 43, 44, 45
Casing Cutters	3, 19, 22
Casing Extractors	23
Casing Drivers	19, 24
Casing Holders	19, 27
Casing Lifter	19, 47
Casing Perforators	3, 19, 21
Casing Shoes	39
Cementing Plugs	25
Clamps	20, 27
Claw Bits	16
Contact Us	50
Crown Bits	39
De-Sanding Equipment	26
Diverter Boxes	35, 36
Down Hole Hammers	4, 5, 6, 7, 8, 9, 10, 11, 12
Drag Bits	16
Drive Shoes	39
Elevators	28, 29, 30
Extractor Hammer	23
Float Valves	46
Foam, Drill	33
Grinder, Button Bit	37

Table of Contents

Hammer Bits	14
Hole Openers, Hammer Bit	16
Hole Openers, Roller Cone	16
Hooks, Safety	26
Internal Pipe Cutter	3
Inflatable Packers	25
Magnets	48
Oil, Rock Drill Bio-Degradable	33
Oiler, Down Hole Hammer	26
Overshot	48
PDC Bits	16
Pipe Wipers	25
Probe, Annulus	26
Reverse Circulation	15, 17
Rod, Drill	46
Roller Cone Bits	15
Roller Cone Under Reamer	20
Shale Traps	25
Shoe Mill	20
Sounders, Well	38
Stabilizers	46
Subs, Adaptor	46
Subs, Shock	46
Swedge	20
Swivels	37
Tapper Taps	27, 48
Thread Lubes	34
TDS Meter	26
Wrenches	18

Proudly representing
Manufacturers that set
Industry Standards

Construction Tools

Hammers, Bits
Roller Cone Bits



Rock Drilling Tools

Down Hole Hammers
Hammer Bits



Casing Systems

Symmetrex & Elemex
Casing Systems
Hammers and Bits



Construction Drilling Systems

Casing Advancement Systems
Top hammer bits



Rock Drilling Tools

Super Jaws Casing Systems
Down Hole Hammers, Bits



Rock Drilling Tools



Hammers & Bits
Drill Steel, Striker bars, Couplings,
Threaded Bits



Casing Tools

Casing Advancement
Perforating
Cutting





Drillers Depot

Internal Pipe Cutter


This is a valuable tool for cut pipe internally. No need for additional tools or wrenches, the operator has full control over the advance and retraction of the rolling cutter blade.



- *Cuts from I.D.
- *Steel & PVC Models
- *Cuts 2" ID
- *Cuts Sch10-80
- *Adaptors up to 6" ID
- *Cuts below ground
- *7ft Long
- *12ft Length w/QD model
- *Hand Operated
- *Highly Efficient
- *One man operation



Down Hole Hammers



Rockmore Rock Hammers

Low Pressure Hammers

Tubeless Hammer

2.5"- 8.5"



Sandvik Rock Hammers

Premier Import Line

Pioneered Tubeless Design

3"- 12"



EpiRoc Rock hammers

Industry Proven

Secoroc & Copco



TerraRoc Rock Hammers

Value Hammer Line

IR & QL splines available



Numa Rock Hammers

Premium Hammers

Innovative Designs

Reverse Circulation Hammer



Holte Large Rock Hammers

Manufactured in Oregon, USA

Reverse Circulation Hammers

Cluster Drill Hammers



Drill King Rock Hammers

Value Hammer Line

Bul/SD/IR/QL shanks available




EDM Rock Hammers

Water Well Hammers

Construction Hammers

3.5"- 12"

Rockmore Hammers



Rockmore Down Hole Hammers

Manufactured in Oregon, USA
Rockmore offers hammers from
2.5"- 8.5"

Innovative in house designs
Low Pressure/Tubeless/Deep Hole

Rockmore has taken Tubeless Hammer technology to a new level. As a key feature Rockmore has incorporated industry standard bit shanks into the overall design.

Another key feature is the ability to use QL6, IR360 and M60 shank bits on the same hammer by simply changing out the bottom sub and retaining ring, a design found only on **Rockmore Tubeless**

**Member of Drillers Depot
Team Pacific Northwest**

Manufactured in the PNW providing PNW jobs.



Sandvik Hammers



Sandvik Down Hole Rock Hammers

Premium Rock Hammers and Bits

Field Proven World Wide

Tubeless Hammer Pioneers

Industry Standard QL shanks now available

Leading Mirror Image Hammer design

3"– 12" Hammers

Sandvik hammers combine high power and speed with low fuel consumption. They are tried and tested in demanding applications the world over.

Sandvik hammers and tools are designed to give an outstanding service life. Sandvik is constantly

working on refining the technology in our hammers and bits to help you do more and experience fewer problems.



www.DRILLERSDEPOT.com

Epiroc Down Hole Hammers

Formerly Atlas Copco



Speed and durability.

Redesigned to maximize ROP and durability

The hammer casing is made of proven high-class steel, which offers outstanding toughness and wear resistance.



TerraRoc Down Hole Hammers



Terranox Hammers

- Many sizes available
- Formerly Atlas Copco
- Economically priced



3

Terranox DTH hammers

Description	Thread connection	Outside diameter		Rec. hole size		Shank style	Length without bit*		Weight without bit		Part number
		mm	inch	mm	inch		mm	inch	kgs	lbs	
Terranox 3	API 2 3/8 Reg PIN	79	3 1/8	88 - 105	3 7/16 - 4 1/8	DHD	902	35 1/2	30	66	8393 0826 35
Terranox 4	API 2 3/8 Reg BOX	92	3 5/8	105 - 127	4 1/8 - 5	DHD	1049	41 5/16	39	86	8393 0826 40
Terranox 5	API 3 1/2 Reg PIN	115	4 1/2	130 - 152	5 1/8 - 6	DHD	1166	45 7/8	69	152	8393 0826 50
Terranox 6	API 3 1/2 Reg PIN	137	5 3/8	152 - 216	6 - 8 1/2	DHD	1255	49 7/16	103	227	8393 0826 60
Terranox 8	API 4 1/2 Reg PIN	181	7 1/8	200 - 270	7 7/8 - 10 5/8	DHD	1443	56 13/16	177	390	8393 0826 80

* Shoulder to shoulder

Numa Down Hole Hammers



Numa Rock Hammers

Numa offers the largest range of vertical, horizontal and reverse circulation DTH products for drilling holes 3.5"-48"

If you are in the rock drilling industry, Numa has designed a DTH product to meet your needs.


Numa Hammers

- * Water Well
- * Construction
- * Range of small hammers from 3.5"
- * Reverse Circulation hammers to 36"
- * Large Hammers for holes 18"- 48"
- * Full range of bits to complement Numa hammers
- * Super Jaws Casing Systems



Holte Large Hammers

HOLTE MANUFACTURING



Holte Hammers

Holte drilling tools are manufactured in

Oregon, USA

*Large Hammers

*Reverse Circulation


*Cluster Drills

*Specialty Hammer Bits

*RC Bits

* RC Drill Rod

* Full RC Drill Strings



Member of Drillers Depot

Team Pacific Northwest

Manufactured in the PNW providing PNW jobs.

Drill King Hammers




Drill King Rock Hammers

New Generation Rock Hammers are designed with superior technology delivering more energy per blow.

All industry standard shanks available

2"- 30" Hammers available

Lower upfront costs make the Drill King hammers an affordable option for rock drillers



Eastern Drillers Manufacturing



Hammers

EDM Hammers

EDM offers a line of
Down Hole Hammers from
3.5"-12"

EDM P series hammers are ideally suited for the Geothermal industry due to their ability to run under large volumes of water.






















EDM BB series is built for excellent reliability and performance in all rock types

Eastern Drillers MFG's


Factory is in the heart of Pennsylvania. Employing skilled workers, using the latest CNC machinery to provide the highest quality and long lasting results.



Bit Shank Identification Chart

<p>M 30 • 3"</p> 	<p>L = 224 mm 8 Splines</p>	<p>QL 50 • 5"</p> 	<p>L = 240 mm 12 Splines</p>
<p>M 40 • 4"</p> 	<p>L = 228 mm 12 Splines</p>	<p>QL 60 • 6"</p> 	<p>L = 253,3 mm 12 Splines</p>
<p>M 50 • 5"</p> 	<p>L = 287 mm 12 Splines</p>	<p>QL 80 • 8"</p> 	<p>L = 331,7 mm 16 Splines</p>
<p>M 60 • 6"</p> 	<p>L = 230 mm 12 Splines</p>	<p>SD 5 • 5"</p> 	<p>L = 260 mm 8 Splines</p>
<p>M 80 • 8"</p> 	<p>L = 329 mm 12 Splines</p>	<p>SD 6 • 6"</p> 	<p>L = 324 mm 8 Splines</p>
<p>DHD 3.5 • 3"</p> 	<p>L = 181 mm 8 Splines</p>	<p>SD 8 • 8"</p> 	<p>L = 321 mm 8 Splines</p>
<p>DHD 340 • 4"</p> 	<p>L = 209 mm 8 Splines</p>	<p>SD 10 • 10"</p> 	<p>L = 356 mm 8 Splines</p>
<p>DHD 350 • 5"</p> 	<p>L = 261 mm 8 Splines</p>	<p>SD 12 • 12"</p> 	<p>L = 468 mm 8 Splines</p>
<p>DHD 360 • 6"</p> 	<p>L = 308 mm 8 Splines</p>	<p>SD 15 • 15"</p> 	<p>L = 533,4 mm 12 Splines</p>
<p>DHD 380 • 8"</p> 	<p>L = 350 mm 10 Splines</p>	<p>SD 18 • 18"</p> 	<p>L = 601,7 mm 12 Splines</p>
<p>DHD 112 • 12"</p> 	<p>L = 491 mm 12 Splines</p>		

Hammer Bit Face Designs



Concave Face

Formation: Medium to Hard
Hole Straightness: Very Good
Penetration Rate: Fair

Convex Face


Formation: Medium to Hard
Hole Straightness: Average
Penetration Rate: Excellent

Flat Face

Formation: Very Hard
Hole Straightness: Fair
Penetration Rate: Good

Convex Concave

Formation: Medium to Hard
Hole Straightness: Average
Penetration Rate: Excellent



Roller Cone Bits

Tungsten Carbide Insert

Roller Cone Bits

Hard Rock Bits for those tough jobs

Carbide Buttons, Sealed Bearings

Available in Soft – Hard formations

Standard and Reverse Circulation



Steel Mill Tooth

Roller Cone Bits

Ideal for drilling dirt, clay, gravel

and other low compressive

Strength materials



Previously Run

Roller Cone Bits

Solid Used and Re-tipped bits

Lower up front costs

We stock many sizes and styles

Carbide Button and Steel Tooth



Large Roller Cones

Reverse Circulation Roller Cones

Large Tooth and Carbide Button bits

Skirted and Reverse Circulation bits




Drill Bits



Hammer Bit Hole Openers

Percussion DHH Bits
All shanks and sizes available
MFG IN USA available



Roller Cone Hole Openers

TCI Buttons, Steel Tooth
Reverse Circulation
All Threads Available
10" and Larger



Claw Bits

Ideal for clay formations
Carbide tipped bullet shaped teeth
Cut and rip through clay
Sizes large and small
Sacrificial claw bits available



Drag Bits

Great bit for soft formations
Dirt, Gravel, Clay
Drills out PVC and
old wood piling well
Also Available in
Heavy Duty & Sacrificial



PDC Bits

Polycrystalline Diamond insert bits
PDC insert bits
Matrix Body bits
Winged body bits

Reverse Circulating Tools

Holte MFG's patented
Grout Through Drill Hammers

are the only hammers in the world proven
successful in drilling down the hole, then
grouting on the way out by simply switching
a valve


Holte Reverse Circulation

Tools, Design and Consulting

- *RC Rigs & Conversions
- *Grout Through RC Hammers
 - *RC Top Heads
 - *Grout Inlets
- * RC Drill Rod and Bits
 - *Air Inlet Swivels
 - *Discharge Heads

HOLTE

MANUFACTURING



Numa Reverse Circulation

Numa's Reverse Circulation products have the unique
ability to

bring all cuttings up the center of the hammer and drill
string to be safely collected at the surface which is essential
in today's environmentally conscious society.


RC Hammers starting at 5"

RC Bits from 5.25"- 36"



www.DRILLERSDEPOT.com

Wrenches



Ridgid Wrenches

Industry Leader

*Pipe Wrenches

*Chain Wrenches

*Aluminum Wrenches

*Replacement parts

*Wrenches up to 60"

Manufacturing



Petrol Gearench Wrenches

Heavy Duty Tools

*Field Proven

*Chain Wrenches

*Breakout Wrenches

*Tongs

*Replacement parts



I.R. Rig Break Out Wrenches

*OEM Wrench

* Field Proven Reliability

* Replaceable Inserts

Casing Tools

Internal Casing Lifter

Design allows Steel casing to be lowered, lifted and extracted fast and efficient

70K lbs Rating Standard model

140K lbs Rating Heavy Duty model

Available in multiple sizes

4.5" – 36" steel casing



Casing Holder

Designed to Safely speed the setting, removing and welding of steel casing

70K lbs Hold Rating

Sizes from 4.5" - 24"



Casing Perforators

Pneumatic and Manual perforators


Air Perforator works with Steel & Plastic casing

Adaptors for use with multiple size casing

Works down hole and above ground

Manual perforator available in multiple sizes

Economically priced



Casing Drivers

Air Operated/Small/Compact

Hard Hitting

5 Models available

Casing Cutter

Quick and Efficient

Cut 6 5/8 casing in 90 seconds

Cuts down the hole and above ground

Several sizes available



Casing Tools



Line up Clamps

- Most casing sizes available



Swedge

- Most casing sizes available
- Straightens dented casing



Under reamer

- Roller cone style
- Multiple sizes
- Replacement parts



Shoe Mill

- Multiple sizes available
- Designed to grind out under reamer drive shoe
- Allowing for continued drilling at gauge




Casing Perforators



The **Holte** perforator effectively perforates the wall of installed steel and PVC casing. The standard Perforator threads onto the end of the drill pipe and will puncture 1" x 1/10" slots in steel casing.

The PVC blade cuts approximately .400"x.050" slots in plastic pipe and easily interchanges with the steel cutter blade.



Quickly change from the steel cutter blade to the PVC cutter blade.

Adaptor Shoes are available to allow the 6" perforator to perforate up to 12" pipe. Larger perforators cut up to 26" pipe.

Knife type perforators are a manually operated tool that has decades of field proven success. Easy to operate, blades replaceable in the field. Available in many sizes 4" and larger



Manual



Replacement Blade



6" Perforator

Casing Cutters




The **Holte** casing cutter cuts casing above or below ground. Cutting pipe off can be done quickly and easily by simply lowering the tool to the depth of cut and rotating it in a counter-clockwise direction, slowly bringing the air pressure up to approximately 150-200 PSI until cut is complete. Continue rotating the casing cutter until the air pressure is bled off. 6" .250 wall casing takes approximately 60 – 90 seconds and 100 revolutions.

Adaptors attach to the 6" cutter for cutting 8", 10", 12" And 14" casing. For even larger casing, adaptors can be used on the next size casing cutter.



Cutter Blade



Extractor Hammers



The **Holte** Extractor Hammer, pictured at right, is a pneumatic hammer. The outer sleeve of the medium extractor is a reciprocating weight that weighs 200lbs.

It cycles fast like a down hole hammer.


The extractor threads are 4 ½ reg. pin up and box down. With adaptor subs it can be fastened to the top head drive, or Kelly of any rig. A sub on the bottom is fastened to the drill rod, casing or whatever you want to pull.

While the Extractor Hammer is hammering the operator can pull up or push down, twisting simultaneously, if desired.

Normally you need only to pull.

Accessories available

Subs, heavy duty hinge and threaded casing adaptors.



Medium Extractor pictured

Casing Drivers




The **Holte** Casing Driver was designed to be small and compact as well as hard hitting.

In operation the Casing Driver works similar to a down hole hammer. When the anvil closes, the Casing Driver starts operating.

The more the anvil is closed, the harder the Casing Driver hits. This happens when increased air pressure and volume feed the Casing Driver, which makes the piston operate faster and harder.

5 models to choose from



140 Casing Driver

Diameter depth Guide


<u>Casing Dia.</u>	<u>Hole Depth</u>	<u>Model#</u>
6"	0-150'	CD75
6"-10"	0-400'	CD140
6"-14"	0-800'	CD350
10'-20'	0-500'	CD550
Over 20'	0-500"	CD1000

Drilling Tools



Shale Traps

Formation packers
Sizes to fit most pipe



Pipe Wipers

Wipes mud and debris
from drill rod
Sizes and Styles for most rigs




Well Brushes

Rugged Construction
Brushes designed for Steel or PVC
Sizes from 2"- 10"
Poly and Steel Available



Top Head Cam Rollers

IR style cam rollers
Both New & Original pattern



Cementing Plugs & Shoes

Drillable Plugs
Shallow and Deep set available
Wooden and Rosen filled designs



Inflatable Packers

MFG in the PNW
Many Sizes

Drilling Tools

Hammer Oiler Unit

Injects a stream of oil into the drill string

Keeps Down Hole Hammer lubricated

Available in 7.5gal & 15gal sizes

Made In Oregon, USA



De-Sanding Equipment

Most sizes and Models available

Cones/Shaker Screen



Safety Hooks

JP Ratigan Hooks

Gunnebo Hooks

Multiple Sizes

Ratings up to 40 tons




Well Annulus Probe

Required Equipment by OWRD

Used to probe annulus between bore hole and well casing

300ft probe, Rugged reel, brass probe

Built in Oregon, USA



TDS Meters

Required Equipment by OWRD

Reads Total Dissolved Solids



Drop Pipe Holders

Kwik Klamp

Pipe Holding Clamp

Works with plastic and steel

Replaceable jaw inserts and grip buttons

(3) Three sizes available


Model

KK1 1"-2"

KK2 2.5"-4"

KK3 6"

5" Kit available for KK3



Heavy Duty

Drop Pipe Holder

Galvanized & Plain Steel

Flush or Coupled

40,000lbs rated



Baker

Drop Pipe Holder

Field Proven Pipe Holder

Adjustable for

1", 1.25", 1.5" & 2"




Taper Tap

Great fishing tool

Multiple size and length



Drop Pipe & Liner Tools



PVC Internal Elevators

Designed to lift
Eagle-Loc/Certa-Loc pipe
Works on Glued & Broken PVC
(3) sizes available
4", 4.5", 5"



PVC Pipe Elevators

Small And Large sizes
Flush Joint & Belled End



Drop Pipe Elevators

Available in sizes
1", 1.25", 1.5", 2"



Drop Pipe Elevators

Available in sizes
1", 1.25", 1.5", 2"



Drop Pipe Elevators

Available in sizes
1", 1.25", 1.5", 2"
6k lifting capacity


Elevators

Cast Steel Flush Joint Casing Elevators



- Available 6 5/8 & 8 5/8
- Safely lift and hold steel casing
- Saves Time, no need to weld & remove tabs from casing

Formed and Welded Elevators



- Steel, PVC and Stainless Steel
- Casing and Screen
- 13 Different Sizes available 4 1/2" – 18"
- Three (3) capacity ratings available per size
- Replaceable Gripping Buttons



D Ring Bail

- Cost effective
- All API threads available
- Pin and Box connections available



Lifting bail

- Hinged and Swivel available
- All API threads available
- Pin and Box connections available

Elevators

Fast Plug

- Available hinged or Solid Bail
- All API threads available.
- Fast and efficient
- Field Proven



Internal Casing Lifter

- 70,000lb rating
- 140,000 on Heavy Duty Unit
- Replaceable grip buttons
- Safe and Efficient
- Time saving
- Great Fishing Tool



Clam Shell Elevator

- Multiple sizes and lengths
- Drill rod and casing models available



Carbide

Angle Cutters

Carbide Tipped

Ready to weld onto your reamer

Available in 2 sizes



J Tooth Cutters

Carbide Tipped

Direct replacement for many reamers

Available in 3 sizes



Conical Tooth Cutters & Blocks

Carbide Tipped/Field Replaceable

Blocks ready to weld

Available in many sizes



Roller Cone Segments

Individual cones & complete bits

All sizes and formations

Replacements for our
rock reamers and many others



Carbide Wear Pads

Carbide chunks on steel flat bar

Ready to weld



Carbide Brazing Rod





Melt the carbide right to your
tooling



Baroid Products



Baroid Industrial Drilling Products



www.DRILLERSDEPOT.com

Rock Drill Oil & Drill Foam

Drill Foam

Environmentally Safe

5 gallon pail

55 gal Drum

- FOAMER ES provides an environmentally acceptable foaming agent to be used in mineral exploration, oil and gas exploration and water well drilling operations. FOAMER ES gives an immediate tight foam with good lifting characteristics.



Rock Drill Oil

RDO302ES

Environmentally Safe Biodegradable

Manufacturer Recommended

5gal/55gal/275gal

- RDO 302 ES reduces the potential of surface or groundwater environmental damage during mining production, mineral exploration, construction of roads and pipelines, quarrying, water well drilling, and oil and gas exploration.
- RDO 302 ES has proprietary lubricating compounds that are not washed off by moisture, thus offering protection when drilling with water. Rust does not develop on internal parts when the hammer is not used. Lubrication can be better controlled and consumption reduced by using RDO 302 ES.
- RDO 302 ES has a special filming additive that prevents piston scuffing and heat build up. Purchase of internal hammer parts is reduced dramatically.



Thread Lubes



BESTOLIFE™
PREMIUM COMPOUNDS



Koper Kote

Copper Flaked thread lube

Copper Flake/Graphite/Rust inhibitors

Lead Free

Best Seller



Eco-Safe

Environmentally Safe Thread Lube

Metal Free

Contains carbon based fibers and anti-wear additives

Sticks extremely well to wet threads



Well Guard

Monitoring Well Pipe compound

Environmentally Safe

Fully Synthetic

Hydrocarbon-Free

Maximum Thread Protection

NSF/ANSI 61



Brush for Thread Lube

Tapered bristles help place lube on threads

Hand shield helps keep lube off your hands

Diverter

Change your bits without removing your diverter!



Our compact and efficient design allows you to quickly trip bits out of the hole and through the top of the diverter. Diverterers are powder coated and the exit pipe is threaded 6" pipe size.

Diverter slides directly over 10 3/4" casing.

Diverter attaches to 6 5/8 and 8 5/8 casing using adaptors that are included.

7" and 12 1/4" adaptors
also available.



Diverter

Up Tower Diverter Boxes

Designed to use with under reaming systems



Use up Tower or Under Table



Our Value Diverter Boxes are available in multiple sizes to fit any job

Available with or without adjustable mounting arms

Bit Grinders




MODEL HG-105 GRINDER SPECIFICATIONS

SPINDLE SPEED 22,000 R.P.M.
AIR PRESSURE 6.2 BAR / 90-115 P.S.I.
AIR CONSUMPTION 850L / min / 30 CFM
AIR HOSE 10mm / 3/8" I.D. — 8 FT. OF HOSE WITH FITTING
COOLANT SUPPLY WATER THRU SPINDLE & TOOL
COOLANT HOSE 6.4 mm / 1/4" DIA. — 8 FT. OF HOSE WITH FITTING
WATER PRESSURE 1.72 / 2.75 BAR / 25-40 PSI — 50 MAX.
NOISE CONTROL HANDLE EXHAUST / NEOPRENE SHEATH
LUBRICATION 12.7 mm / 1/2" LINE SIZE OILER IN AIR SUPPLY LINE


***NOTE: OILER UNIT DOES NOT COME WITH HAND GRINDER**

It is recommended that a 12.7mm / 1/2" line size filter-oiler-regulator unit be used.


HG-105 Hand



A-80B



Grinding



Swivels & Packing

- Swivels
- Shallow and deep water well drilling
- Horizontal drilling
- Reverse-circulation
- Environmental drilling



Well Sounders

Eno Scientific Well Sounder 2010 PRO

A highly accurate instrument designed for measuring static water level in wells, piezometers, or boreholes. This portable handheld unit uses sound waves to measure the distance from the top of the well to the water level, eliminating the need to lower anything into the well. Unlike standard water level tapes, these acoustic meters are free from well contamination issues, and there is no clean up and nothing to get stuck in the well. Simply place the probe into a well cap opening and turn the unit on. Within seconds, the unit will display the static water level measurement. Will work on crooked, straight, or coiled pipes with up to a 90% blockage. Requires no external equipment for configuration settings and is capable of logging, storing, and downloading 25 million time/date stamped data points. Key features include immediate data capture, auto temperature compensation, calculation of drawdown and recovery rates, real-time clock/calendar to time stamp the log data, USB download, plus it is weather-resistant. Includes an industrial strength carrying case.



Portable Well Sounders

Available from 100ft -2000ft Rugged field proven sounder. Steel case, Replaceable parts

Available in Feet or Meters



Casing Shoes

Crown Bits and Rings

Threaded Crown bits
Many sizes and button types




Dual Rotary Drive Shoes

Carbide buttons on face
Weld On
6"- 24"



Under Reaming Shoes

We sell shoes for most under reaming systems
Give us a call with your needs



Casing Drive Shoes

Rotary and Cable style
Protects the leading edge of the casing while driving into the hole



Casing Advancement Systems



Super Jaws



**Super Max
Ultra Max**



**Eccentric
Concentric
Full Gauge**




Tubex



**Symmetrex
Elemex**

Casing Advancement



SUPER JAWS BITS

Drills holes 5-1/2" to 42" (457 - 1066 mm)

Outstanding performance for simultaneous drilling & casing in hard rock & overburden formations. Wings extend out to drill a full diameter hole then retract to bring all tooling to the surface. No expensive tools are left in the hole and no casing teeth are required.

Available in shoed and shoeless models



Casing Advancement



SuperMax Bit System

Available in Shoed or Shoeless

SD/IR/QL splines available

Systems available for

4" – 26" Steel Casing

Models available with 2 or 3 wings



UltraMax Bit System

Concentric Drilling System

SD/IR/QL splines available

Works well in boulder patches

Smooth drilling, less torque

Systems available for


3.5" – 40" Steel Casing

(3) Three shoe options available

Casing Advancement



URGauge



UREccentric



URConcentric



Holte manufactures (3) three styles of casing systems. The URG & URE systems are available in both shoed and shoeless models, the URG is also available in a Reverse Circulation model. The URC is only available in casing driver model.

URE models available for casing sizes 5"- 8"

URC models available for casing sizes 6"- 12"

URG models available for casing sizes 10"- 42"

Holte casing systems have been field proven worldwide.

Manufactured in Oregon, USA.

Casing Advancement



When simultaneously drilling and casing through loose overburden materials Sandvik's Tubex system will give you a great result. Tubex is a cost-efficient system leaving less material behind in the hole. Tubex is an eccentric system that preforms in the toughest conditions.

Systems available from 4"- 10"



Casing Advancement



Symmetrex

Every casing advancement project has its challenges, whether deep or shallow holes, sensitivity or productivity demands. The casing advancement systems from TerraRoc offer a spectrum of solutions to meet any project demands in the most efficient way.

All our products are designed to minimize downtime and to maximize your productivity and profitability. When we are needed, we will quickly be at your site thanks to our worldwide TerraRoc organization



- Field Proven
- Cost effective



Drill Rod and Adaptor Subs

Shock Sub

These DTH shock subs can greatly reduce wear and tear on your drill string and drive head by reducing the impact from your DTH hammer.



Cross over Subs'

All API Box and Pin sizes available



Drill Steel

All API Box and Pin sizes available



Float Valves

- Positive Instantaneous shut off
- Reliable
- Economical



Slick Quills and Ribbed Stabilizers



Fishing Tools

Internal Casing Lifters

Available in original design and now in new Heavy Duty design.

For use with Steel Casing.

Original Design 4.5"-24"

Rated at 70,000 lbs.

Heavy Duty Design 10.75"-36"

Rated at 140,000 lbs.

HD Rated
140,000lbs



STD Rated
70,000 lbs



Overshot

- All Sizes
- All Threads

Pneumatic Casing Spears

A need for every driller

Whether fishing lost casing or setting liner
this tool is a must

Sizes available from 4.5"-24"




Fishing Tools



Magnets

- Several sizes
- Easy to use
- Designed not to stick on casing
- Sales and Rentals



PVC Internal Elevators

Designed to lift and set
Eagle-Loc/Certa-Loc pipe
Works on Glued & Broken PVC
(3) sizes available
4", 4.5", 5"



Taper Tap

Great fishing tool
Multiple size and length



Overshot

Great fishing tool



Contact Information

Tel 503-805-5866

Office 503-705-8684

Fax 503-477-4189

E-Mail mike@drillersdepot.com

Web Site www.drillersdepot.com

5701 NE 105th ave. Suite E

Portland, OR 97220

P.O. Box 66614

Portland, Oregon 97290



www.DRILLERSDEPOT.com